What Can I Eat?

Healthy Choices for American Indians and Alaska Natives with Type 2 Diabetes



Participant Booklet





Introduction

One of the first things people ask when they get diabetes is "What can I eat?" In this class, we will discuss how Native people with diabetes can eat better and be healthier.

We will:

- 1. Show you tools that make it easy to choose healthy foods
- 2. Practice physical activities that can improve your blood glucose
- 3. Teach you about mindfulness, which can help you make better food choices
- 4. Set goals to help you stay on track

We will be practicing these skills in class.

Class 4:

Fat, Salt, and Healthy Eating Away from Home

In this session, we are going to:

Learn how to eat less salt by reading food labels

- Identify healthy and unhealthy fats
- Learn tools for eating healthier at restaurants, onthe-go, and at special events
- Learn a new physical activity
- Try a mindful practice that can help us make healthy food choices
- Set a healthy lifestyle goal



Table of Contents

•	Introduction to Fat, Salt, and Diabetes6
•	Healthy Eating with Salt7
•	Choosing Healthy Fats10
	Healthy Eating Out or at Special Events13
	Physical Activity14
•	Mindful Nutrition Choice Activity16
•	Goal Planner24
•	Physical Activities26

Introduction to Fat, Salt, and Diabetes

Foods that have a lot of unhealthy fat and salt are bad for our hearts. People with diabetes need to be careful not to eat too much of these things, because heart problems are very common for people with diabetes.



Healthy Eating with Salt

Salt makes food taste good and is an inexpensive way to flavor food. But most people eat too much salt every day, and that is bad for our hearts.

Most people with diabetes should eat less than 2,300 milligrams (mg) of salt each day. This is about 1 teaspoon of salt. The salt packets you find at many fast food restaurants have about 1 teaspoon of salt in them!



= 1 teaspoon

If you eat 3 meals a day, it's best to eat 800 milligrams (mg) of salt or less per meal. Talk with your health care provider about the amount of salt that is best for you.

Most of the salt we eat comes from processed foods. Processed foods are foods that are not in their natural form. An example is potato chips (processed) versus a whole potato (not processed).

Processed foods often have salt added to them to make them taste better or last longer. Examples of processed foods include: potato chips, Ramen noodles, hot dogs, Spam, some kinds of cheese like American, and fast food.

Reading a Food Label for Salt

- On a food label, salt is called **sodium**. Salt and sodium mean the same thing.
- We can read food labels to find out how much salt is in the foods we eat.
- You can use the food label to understand how much salt you are eating in just 3 steps.



Step 1:

Look at the number of servings. This is how many servings are in the container.

Step 2:

Look at the amont of sodium. This is how much salt is in **1 serving**.

Step 3:

Decide if this food has too much salt. Is there more than the recommended 800 mg in a serving? Is there more

than 1 serving per container? If so, that means you will be eating more than the amount of salt listed on the label, if you eat more than 1 serving.

Remember the recommendation is 800 mg of sodium or less per meal.

Tips to Eat Less Salt

Need to cut down on salt? Try these tasty swaps:

Ingredient:	Low-Salt Swap:
Salt in recipes	Fresh or dried herbs and spices, such as onion and garlic (powder), salt-free seasoning, pepper
Salt on vegetables	Fresh squeezed lemon or vinegar
Soy sauce	Reduced-sodium or light soy sauce
Broth	Reduced- or low-sodium broth
Canned vegetables	Low- or no-salt canned vegetables or frozen vegetables without sauce
	Rinse canned vegetables to remove some salt
Processed protein food like Spam, bacon, hot dogs	Canned tuna, chicken or turkey slices, hard boiled egg, low-salt nuts

You can also cut down on salt by:

- Eating fewer processed foods.
- Choosing more foods in their natural form. "Natural form" means how they would be found in nature.
- Not eating fast food.
- Drinking only water.
- Limiting the amount of cheese you eat. Cheese is high in salt. If you eat cheese, try to keep it to 1 serving.
 A serving of cheese is about the size of 4 stacked dice.
- Buy low-salt versions of canned and packaged foods.
- Add salt-free food to your packaged food. For example, add cooked rice to your Rice-A-Roni so the salt from the Rice-A-Roni gets spread out across more rice.



Choosing Healthy Fats

Fat is found naturally in foods. We also add fat to foods for flavor and cooking.







Some foods are naturally high in healthy fat. These foods include avocado, seeds (like sunflower seeds), fish (like salmon), sea mammals (like seal), nuts (like peanuts, walnuts, acorns, and cashews), or nut butters (like peanut butter).







Some foods are naturally high in unhealthy fat. Foods that are high in unhealthy fat are red meats, chicken with skin on it, whole milk, processed snacks (like chips), cheese, and fast food.







Many traditional protein foods, like wild game (bison, elk, deer), have less unhealthy fat than protein foods like beef and pork. This makes traditional protein foods a more healthful choice.

We often add fat to our food for flavor or in cooking.

Healthy fats are liquid oils

- Oils are healthy fats that we add to foods for flavor and cooking.
- Oils can be used to stir fry veggies, will keep meat from sticking to the pan or grill, and can be used as a salad dressing.
- Oils that are healthy fats are liquid at room temperature. That means if it is not in the refrigerator, it is liquid.



- · Some healthy oils are listed in the table on the next page.
- If healthy oils like olive or canola oil are more expensive, try these cost-saving tips:
 - Buy oils when they are on sale
 - Buy oils in larger containers and share with another family
 - Decrease the amount of oil you use, so it lasts longer

Most Unhealthy fats are solid

- Unhealthy fats that we add to foods for flavor and cooking include margarine, Crisco, lard, and butter.
- · These should be limited
- Try to eat these foods only on special occasions.



Class 4: Fat, Salt, and Healthy Eating Away from Home

The table below lists healthy and unhealthy fats by how often we should eat them.

- Often = Healthy fats can be added to your meal plan "often" (once a day).
- Sometimes = Fats listed under "sometimes" should only be eaten about once a week.
- Limit = Fats that are very unhealthy are listed under "limit" and should be eaten only on special occasions.

Healthy and Unhealthy Fats

SOMETIMES (ONCE A WEEK)	LIMIT (SPECIAL OCCASIONS)
Low-fat cream-based salad dressing like light ranch	Full-fat cream-based salad dressing like ranch or blue cheese
Oils: corn, soybean, safflower, sesame	Butter, lard, coconut oil
Mayonnaise	Margarine
	Cream
	(ONCE A WEEK) Low-fat cream-based salad dressing like light ranch Oils: corn, soybean, safflower, sesame



Healthy Eating Out or at Special Events

Eating out at restaurants, at special events and celebrations, and on-the-go is very common and can be a great way to spend time with family and community.

Often, when we eat outside of our homes, the foods we eat are high in fat and salt. These foods are not healthy for our hearts.

One of the best ways to eat healthy meals outside of the home is to plan ahead. For example, if you are going to a potluck, you can bring a healthy dish to share. If you are on the way to a sporting event, you can bring healthy snacks, such as fruit or nuts, with you.

When you're eating outside of your home, here are tips to eat healthfully:

Follow the Diabetes Plate:

- Fill 1 small portion of the plate with carb food
- Fill most of your plate with veggies (not potatoes, peas, corn, squash)
- Choose protein foods that are prepared in a healthy way (grilled, baked, sautéed, steamed)

Choose an unsweetened drink or water.

Choose foods that are cooked in healthier ways. The following table shows the healthiest and unhealthiest ways to cook food. Try to choose foods that are prepared in the ways listed under the word "Best." For example, if you order fish at a restaurant, you can have it baked instead of fried.

You can cook foods using the **best** cooking methods every day. You can cook foods using the **better** cooking methods a couple of times a week. You should limit cooking foods the **worst** cooking method to only special occasions.



BEST



BETTER



WORST

Bake Broil Grill Microwave

Roast Steam Light sauté Light stir-fry (using a little bit of vegetable oil) Deep-fried

Physical Activity

To help manage your blood glucose, it is best to do 30 minutes of physical activity every day.

What counts as physical activity?

Anything that gets your body moving counts! You could

take a walk, dance, work in the garden, do chores around the house and yard, or play outside with your kids or grandkids. Try to do things that get you breathing a little faster than normal or that make your heart rate go up a little bit. You should be able to talk while you exercise but not sing.

How can I get 30 minutes of physical activity every day?

There are some easy ways to be more active every day.

- Stretch at least once a day.
- Use your own body weight for strength activities.
- Get creative with your movement-set an alarm on your phone to get up once every hour and do something active like walk up the steps, dance, or do 5 jumping jacks.
- Be creative so your body moves differently each time you get up.

You don't have to do 30 minutes of activity all at once. You can be active for even 5 minutes at a time, 6 times a day.



Mindful Nutrition Choice Activity

Sometimes, we make unhealthy food choices without meaning to. This can happen when we make choices and do things on "autopilot." Being on autopilot just means we are doing something without thinking about it.

Have you ever realized you were driving the wrong way because you are always used to turning left, but today you needed to turn right? That is autopilot! Sometimes we get on autopilot when we are making food choices.

Being more mindful can help you turn off autopilot and make healthier food choices.

Being mindful means paying attention to what you are doing right now. When you are being mindful, you are paying attention to:

- What is happening right now
- How your body is feeling right now


One way to practice mindfulness is to find something you often do on autopilot. Practice doing it while focusing and paying attention to what you are doing. Mindful walking is one example of an activity you can try.

Usually when we walk, we aren't paying attention to each foot stepping down, to each leg lifting up 1 at a time. We usually walk on autopilot. When you are mindful walking, you can pay special attention to each foot lifting off the ground, each leg muscle working to lift that leg. Walk slowly in a circle. Every time your mind wanders to something else, bring your attention back to the details of walking.

You can try this activity with anything you usually do on autopilot, like making your morning coffee, feeding your dog, or brushing your teeth.

You can also try this activity when you make food choices. Slow down and instead of eating without thinking about it, consider each "step" of the meal. Examples could be:

- 1. How much food am I serving myself?
- 2. How would it feel to set my fork down in between bites to slow down?
- 3. What would happen if I turned off the television and focused only on my meal?
- 4. How does each bite feel and taste in my mouth?



Summary

To be healthy, you can:

- 1. Read the food label for salt. Remember to eat less than 800 mg of salt per meal.
- 2. Choose healthy fats, such as oils, to flavor and cook your food.
- 3. Limit adding unhealthy fats, like margarine, lard, Crisco, and butter, to your food and in cooking.
- 4. Choose protein foods that are cooked in a healthy way such as grilling, baking, or broiling.
- **5.** Try to eat at least one traditional food each week.
- 6. Limit fast and processed food to eat less fat and salt.

- 7. When you eat outside of your home, here are tips to eat a healthy meal:
 - Follow the Diabetes Plat Method:
 - Fill 1 small portion with carb food
 - Fill most of your plate with veggies (not potatoes, peas, corn, or squash)
 - Choose protein foods that are prepared in a healthy way (grilled, baked, sautéed, steamed)
 - Choose a unsweetened drink or water
- 8. Be physically active for 30 minutes a day. You can break your activity up into 5-10 minute periods several times a day as long as it adds up to 30 minutes.
- **9.** Practice being mindful during times when you are usually on autopilot. Like when you are walking, eating, or preparing food.



Goal Planner

To be successful in changing behaviors and learning new skills, it is helpful to make goals. Planning out the details of your goal can help you to achieve it.

- 1. Choose a goal listed below, or make a goal of your own.
- 2. Prepare for your goal.

Choose A Goal

Please choose a goal and fill in the blanks. Or, you can write a different goal related to class that isn't listed.

Choose 1 change you can make for the next class, which is in 2 months.

Read food labels to look for sodium (salt) the buy food at the store.	ie next tin
l can start on Monday, Tuesday, Wednesday, Friday, Saturday, Sunday (Circle all that apply	_
The foods that I will check food labels for are	:

A person I would like to teach is	5:
I can teach them on	(da
I will teach them: (check all that	you want to
Low-salt food tips from page	ge 9
How to read a food label to foods	find low-salt
Be more physically active.	
I will be physically active on Mo Wednesday Thursday Friday Sa (Circle all that apply	
Wednesday Thursday Friday Sa	turday Sunda
Wednesday Thursday Friday Sa (Circle all that apply I will be physically active for	turday Sund

Class 4: Fat, Salt, and Healthy Eating Away from Home

doing something that I often do on autopile The thing that I do on autopilot is:			
Other:			
This is a goal to help	with:		
O Food Choices	\circ	Drink Choice	
O Being Active	\bigcirc	Being Mindfu	
Other:			
Goal details:			
		I do this goal?	

Choose healthy fats instead of unhealthy fats, when adding fat to a meal.
A food or meal that I often add fat to is:
The fat that I usually use is:
A healthier fat I can use instead is:
Choose healthy food when I eat outside of the home.
In the next 2 months, I have plans to eat outside of the home here:
One thing I can try to do to eat healthier at this place is:
I will help my community eat less fat or salt.
I can do this by bringing healthy food to:
(Name of event)
I will bring this healthy food to share:

Class 4: Fat, Salt, and Healthy Eating Away from Home

Eat low salt or low fat foods with someone in my family.				
The person I would like to eat low salt or low fat foods with is:				
	The low salt and low fat meal we will eat together is:			
	Breakfast	Lunch	Dinner	Snack
Prepar	e for Yo	our Go	al	
What do you need to do to get ready for your goal? For example, will you need to go to the grocery store? Will you need to have a family meeting?				
The steps I need to take to prepare for my goal are:				
Tell some	one about y	our goal		
	_			_ about my goal.

For the	next 2 months, until our next	class,	please:
1. \	Work on your goal .		
	lass to ould in	share clude:	
-	A food package or label of a low food you tried.	w fat o	r low salt
 A picture of a meal that you made where you used the Diabetes Plate Method. A recipe or picture of a healthy meal you at restaurant or celebration/gathering. Anything else that you'd like to share with t group related to diabetes and nutrition. 			iere you
			you ate at a
Our next	class is on (Day of week and date		

Stretching Exercises

Do these stretches gently and slowly. Do not bounce.

Deep breathing

- Take a deep breath in and raise your arms over your head.
- Breathe out and lower your arms to your side.
- Do this 2 times.





Neck stretching

- Tilt your neck to the side, so your ear is close to your shoulder.
- Then tilt your head to the other side.
- Do this 2 times.



Shoulder stretches

- Lift your shoulder up toward your ear.
- · Lower your shoulder back down.
- Do this 5 times on each side.



Side stretches

- Reach both arms up in the air above your head.
- Slowly, reach your right arm over your head toward the left side of your body.
- Feel the stretch along the right side of your body.





- Straighten up so that you are standing straight up with your arms up in the air.
- Slowly, reach your left arm over your head toward the the right side of your body.
- Repeat 5 times in each direction.


Twists

- Plant your feet on the floor about hip distance apart.
- · Hold your arms straight out in front of you.
- From your waist, twist to the right side.
- Keep your hips pointing forward.
- The twist should come from your waist, not your hips, feeling the stretch in your waist.
- · Gently move back to center.
- From your waist, twist to the left side.
- Twist side to side 3 times in each direction.



Back and leg stretches

- Stand with your feet about foot apart.
- Reach your arms out in front of you.
- Bend forward from your waist, with your back flat.
- Your butt should be sticking far back behind you.
- Bend as far as you can until you feel a stretch in the back of your legs.



- Slowly stand back up.
- Do this 3 times.
- Be careful not to bounce.

Leg stretch #1

- Stand with your feet a little more than hip width apart.
- With a flat back, slowly stretch down toward your right ankle.
- Slide both hands down your right leg, until you feel a stretch on the left side of your body.
- Hold for a count of 3.
- Carefully slide back up to standing



and switch to your left leg.

- Repeat 3 times on each side.
- Be careful not to bounce.

Leg stretch #2

- Stand facing a wall.
- Place your hands flat against the wall.
- Lean against the wall at an angle.
- Slowly move your heels towards the ground if they are not already on the ground.
- Feel the stretch in the back of your calves and ankles.
- Hold this stretch for a slow count of 10.



Body Weight Exercises

Chair squat

- Stand tall with your back to a chair.
 Place your feet shoulder width apart.
- Hold your arms out in front of you.
- Pushing your hips back and bending your knees, sit down on the chair.
- Pause for 2 seconds. Then, pressing down on your heels, stand up.
- · Do this 10 times.





Wall push up

- Stand facing a wall.
- Place your hands on the wall, about shoulder width apart.
- Slide your feet back until your body is at an angle.
- Bend your arms to lower your body toward the wall.
- Straighten your arms to push yourself back away from the wall.
- Your body should be straight the entire time.
- Only your elbows should bend.
- Do this 10 times.





Bicep curl (front of upper arm)

- With your arms straight down in front of you and your palms up, bend your elbows to lift your forearms.
- Your elbows should stay in the same place.
- Do this 15 times.



Triceps extension (back of upper arm)

- Place both arms straight over your head and clasp your hands together.
- By bending your elbows, bring your hands back behind your head.
- Extend your arms back up above your head.
- Do this 15 times.

Shoulder press

- Start with your arms straight out to the sides, at shoulder height.
- Ball your hands into fists.
- One at a time, slowly raise 1 fist into the air until your arm is straight above you.
- Bending the elbow, bring your fist back to shoulder height.
- Repeat these steps with your other arm.
- Do this exercise 20 times, 10 times on each side.



What Can I Eat?®

Centers for American Indian & Alaska Native Health

colorado school of public health

Healthy Choices for American Indians and Alaska Natives with Type 2 Diabetes

What Can I Eat?® is an initiative of the American Diabetes Association®

Partially funded by the Shakopee Mdewakanton Sioux Community, founding sponsor, through its Seeds of Native Health campaign. Additional funding supported by a grant from Genentech, A Member of the Roche Group, and from the Vadon Foundation.