

Help us improve the information and guidance we provide by sharing your feedback on this resource. Scan the QR code for the evaluation survey.



Severe Hypoglycemia Solutions

Helping When It Happens

Severe hypoglycemia is when your blood glucose (blood sugar) level drops dangerously low. This is a medical emergency and can happen if you are on certain glucose-reducing medications (insulin, sulfonylureas, or meglitinides).

Severe hypoglycemia can cause











If left untreated for too long, it can lead to brain or organ damage, or even possibly death.

Have treatment on hand in the event of a severe hypoglycemia event.

Talk to your doctor about options available. Glucagon quickly raises your blood glucose levels by causing the liver to release stored glucose into your bloodstream. Someone else can administer glucagon if you are unable to give it to yourself in certain situations, just make sure they know exactly how to use this medication before it is needed.

Pre-Mixed, Ready-to-Use Glucagon Pen

- Pre-mixed devices work like epinepherine auto-injectors.
- Stable form of glucagon ready to immediately inject, no mixing.
- Can be given to an unconscious person.

Different autoinjector glucagon devices may have slight variations, so review specific instructions in your device. This is general guidance:



- 1. Hold the unit upright. Remove the cap or pull the gray cap straight off.
- 2. Choose a bare skin injection site (upper arm, thigh, or stomach are ideal locations).
- 3. Clean the site with an alcohol swab.

- Push and hold device straight down on bare skin until the needle guard is fully pressed down. You may hear a click.
- 5. Depending on the device, hold down for 5 or 10 seconds (you may hear a second click) until the window turns red.
- 6. Remove the pen from skin, lifting straight up.

Turn the person on their side as vomiting and/or choking may be common.

After giving the dose, call 911 right away.



Remember, these are general descriptions, and you should always follow the manufacturer's instructions for how to safely administer their glucagon. If you have further questions, be sure to contact your doctor.

Learn more at diabetes.org | 1-800-DIABETES (800-342-2383)



Glucagon Nasal Spray/Powder

- Similar to a nasal spray.
- Drives powdered glucagon into the nose where it is quickly absorbed into the bloodstream.
- Needle-free delivery.
- One-step administration.
- Can be given to an unconscious person.



- 1. Remove the shrink wrap around device by pulling on the red stripe.
- 2. Open the lid and remove the device from the tube (do not push the plunger or test the device until ready to give a dose).
- **3.** Hold the nasal device between your fingers and thumb.
- **4.** Gently insert the tip of the device into one nostril, until fingers touch the outside of the nose.
- **5.** Press the plunger firmly to give the dose. The dose does not need to be inhaled.
- 6. Remove the nasal device from the nose.
- 7. If no response within 15 minutes, administer a second dose.

Turn the person on their side as vomiting and/or choking may be common.

After giving the dose, call 911 right away.




Mixed Glucagon

- Comes with a powder and a liquid to dilute.
- Needs to be mixed right before being administered.
- Can be given to an unconscious person.









- 1. Remove the glucagon kit from the package.
- 2. Remove the seal from the vial of powder.
- 3. Remove the needle cover from the syringe.
- **4.** Insert the needle into the vial and push the plunger to empty the saline into the powder.
- **5.** Gently roll or swirl the vial to dissolve the powder into the liquid until it is clear.
- 6. Draw the solution back into the syringe.
- Inject into the outer mid-thigh or arm muscle of the person with severe hypoglycemia.

Turn the person on their side as vomiting and/or choking may be common.

After giving the dose, call 911 right away.



Remember, these are general descriptions, and you should always follow the manufacturer's instructions for how to safely administer their glucagon. If you have further questions, be sure to contact your doctor.

Learn more at diabetes.org | 1-800-DIABETES (800-342-2383)